Consider the graph of the polar equation $r = \dfrac{16}{9 - 7\sin\theta} = \dfrac{\frac{16}{9}}{1 - \frac{7}{9}\sin\theta}$

$\frac{7}{9}p = \frac{16}{9}$

$p = \frac{16}{7}$

[a] Fill in the blanks.

[i] The eccentricity is $\frac{7}{9}$. ①

[ii] The shape of the graph is a/an ELLIPSE ①.

[iii] The equation of the directrix is $y = -\frac{16}{7}$ ①

[iv] Find the **rectangular** coordinates of the

x – intercept(s) ①/② $\left(\pm\frac{16}{9}, 0\right)$

y – intercept(s) ①/② $(0, 8)$ $(0, -1)$

vertex/vertices ① $(0, 8)$ $(0, -1)$

center ① $\left(0, \frac{7}{2}\right)$

focus/foci ① $(0, 7)$ $(0, 0)$

endpoints of the latus rectum/latera recta ① $\left(\pm\frac{16}{9}, 7\right)$ $\left(\pm\frac{16}{9}, 0\right)$

GRADED BY ME

θ	r
0	$\frac{16}{9}$
$\pi/2$	8
π	$\frac{16}{9}$
$3\pi/2$	1

[b] Sketch the graph on the grid provided above. **You must provide a scale for the axes & plot all points from part [a][iv] above.**

Consider the graph of the polar equation $r = 5 + 3\cos\theta$. $|3| < |5| < 2|3|$

[a] Fill in the blanks.

[i] The shape of the graph is a/an LIMACON WITH DIMPLE ①

[ii] The graph DOES NOT ① pass through the pole.
(does / does not)

[iii] Find the **rectangular** coordinates of the

x – intercept(s) ① $(8, 0)$ $(-2, 0)$

y – intercept(s) ① $(0, \pm 5)$

θ	r
0	8
$\pi/2$	5
π	2
$3\pi/2$	5

GRADED BY ME

[b] Sketch the graph on the grid provided above. **You must provide a scale for the axes & plot all points from part [a][iii] above.**

Consider the graph of the polar equation $r = 1 + 2\cos 2\theta$.

[a] **Using the tests and shortcuts shown in lecture**, determine if the graph is symmetric over the polar axis, $\theta = \frac{\pi}{2}$ and/or the pole. Summarize your conclusions in the table on the right. **NOTE: Run as FEW tests as needed to prove your conclusions are correct.**

$(r, -\theta): \quad r = 1 + 2\cos 2(-\theta)$ ①
$\quad = 1 + 2\cos(-2\theta)$
$\quad = 1 + 2\cos 2\theta$ ① SYM OVER POLAR AXIS

$(r, \pi - \theta): \quad r = 1 + 2\cos 2(\pi - \theta)$ ①
$\quad = 1 + 2\cos(2\pi - 2\theta)$
$\quad = 1 + 2[\cos 2\pi \cos 2\theta + \sin 2\pi \sin 2\theta]$
$\quad = 1 + 2\cos 2\theta$ ① SYM OVER $\theta = \frac{\pi}{2}$

AUTOMATICALLY SYM OVER POLE ①

Type of symmetry	Conclusion
Over the polar axis	SYMMETRIC
Over $\theta = \frac{\pi}{2}$	SYMMETRIC
Over the pole	SYMMETRIC

$(\frac{1}{2})$ POINT IF 1 CORRECT

$(1\frac{1}{2})$ POINTS IF 2 CORRECT

$(2\frac{1}{2})$ POINTS IF ALL CORRECT

[b] Based on the results of part [a], what is the minimum interval of the graph you need to plot (before using reflections to draw the rest of the graph)?

$\theta \in [0, \frac{\pi}{2}]$ ①

[c] Find the value of r for all common values of θ in the interval from part [b].

θ	r
0	3
$\pi/6$	2
$\pi/4$	1
$\pi/3$	0
$\pi/2$	-1

$(\frac{1}{2})$ EACH $= (2\frac{1}{2})$ TOTAL

GRADED BY ME

[d] Sketch the graph on the grid provided below. **You must provide a scale for the polar axis & plot all points from part [c] above.**