Math 1A

Midterm 2 Review

You should be able to find any derivative from this chapter.

- 3.1 3-32
- 3.2 3-30
- 3.3 1-16
- 3.4 7-50
- 3.5 5-20, 25-32, 49-60
- 3.6 2-30, 39-52
- 3.REV 1-42, 44, 46, 49-50

Knowing how to find derivatives is not enough, because once again, there will be very few questions which simply ask you to find a derivative. You should also be able to solve all the following types of problems.

- [1] Estimate csc 0.5 using a linear approximation chosen at an appropriate point.
- [2] If $y = \frac{1}{x^2}$, find dx, Δy and dy if x = 2 and $\Delta x = 0.5$.
- [3] Find $\frac{d^3}{dx^3} \sec x$. Simplify your answer.
- [4] The position of an object at time t is given by the function $s(t) = \frac{2t^3 + 4t^2 3}{\sqrt{t}}$ for $t \ge 0.5$.
 - [a] Find the velocity of the object at time t = 1.
 - [b] Find the acceleration function. Simplify and factor your answer.
- [5] Find the equations of the tangent lines to the curve $y = 1 + x^3$ that are perpendicular to x + 12y = 1.
- The line y = 3x 4 is tangent to a quadratic function at the point (1, -1). Find the equation of the tangent line to the quadratic function at (2, 4).
- [7] If $f(x) = \frac{x^3}{1+x^2}$, find f''(1).
- [8] The following table gives values and derivatives of two functions at various inputs.

x	-3	-2	-1	0	1	2	3	4
f(x)	-2	0	2	4	-3	-1	1	3
f'(x)	4	-1	-3	2	-4	3	-2	1
g(x)	-1	1	3	-3	4	-2	0	2
g'(x)	2	4	-4	-1	3	1	-3	-2

- [a] If $k(x) = x^3 f(x)$, find the equation of the tangent line to y = k(x) at x = 2.
- [b] If $j(x) = \frac{x^2}{f(x)}$, find the equation of the tangent line to y = j(x) at x = -1.
- [c] If $m(x) = \tan^{-1}(g(x))$, find the equation of the tangent line to y = m(x) at x = -3.
- [d] If n(x) = g(f(x)), find the equation of the tangent line to y = n(x) at x = 4.

- [9] If h(x) = f(x)g(x), find formulae for h''(x) and h'''(x). Based on your answers, guess a formula for $h^{(4)}(x)$ (the fourth derivative of h(x)).
- [10] Find all x-coordinates in the interval $[0, 2\pi]$ where the tangent line to $f(x) = 4x 3\tan x$ is horizontal.
- [11] If $f(x) = xg(x^2)$, find a formula for f''(x). Your answer may involve g, g' and/or g''.
- [12] Find the equation of the tangent line to $(1 + x^2y^3)^5 = x^4e^y$ at (-1, 0).
- [13] Show that $y = ax^4$ and $x^2 + 4y^2 = b$ are orthogonal trajectories. See section 3.5, questions 65-68.
- [14] If $y = (\sin x)^{\frac{1}{x}}$, find $\frac{dy}{dx}$.
- [15] The limit $\lim_{h\to 0} \frac{(h-1)e^{1-h}+e}{h}$ is the derivative of some function f(x) at some point x=a. Find the function, the point, and the value of the limit.

You must also know the following definitions, theorems and proofs.

Definition

e (from both sections 3.1 and 3.6)

Proofs

derivatives of $\sin x$, $\cos x$ and $\sec x$

using the definition of the derivative, without using the derivatives of any other trigonometric function

you may use the limits
$$\lim_{h\to 0} \frac{\sin h}{h} = 1$$
 and $\lim_{h\to 0} \frac{\cos h - 1}{h} = 0$ without proving them

derivatives of $\tan x$, $\csc x$, $\sec x$ and $\cot x$

using the quotient rule with the derivatives of $\sin x$ and $\cos x$

derivatives of $\sin^{-1} x$, $\cos^{-1} x$, $\tan^{-1} x$, and $\ln x$

using implicit differentiation with the derivatives of $\sin x$, $\cos x$, $\tan x$ and e^x