

Skills from previous math classes that you need to self-review for Math 1C

From Algebra:

Negative and fractional exponents
Rational expressions
Add / subtract
Polynomial long division

From Trigonometry:

Sine / cosine / tangent of special angles on unit circle
Inverse sine / cosine / tangent of special values
Pythagorean / reciprocal / quotient / negative angle / co-function identities
Double angle identity
Trigonometric equations

From Precalculus:

Graphs of basic functions (domain, range, intercepts, asymptotes, long run behavior)
Power $y = x^n$ (n could be positive or negative, even or odd or reciprocal of integer)
Exponential $y = b^x$ (b could be greater than or less than 1)
Logarithmic $y = \log_b x$ (b could be greater than or less than 1)
Trigonometric $y = \sin x$, $y = \cos x$, $y = \tan x$
Parametric equations
Graphs of basic conics
Circles / ellipses / parabolas / hyperbolas
Symmetry of functions & graphs (relationship between algebraic & graphical symmetry)
Even / odd
Sequences
General formula
Sigma notation for series
Factorials

From Calculus:

Limits (especially involving infinity)
Continuity
Derivatives (and their relationship to increasing/decreasing behavior of functions)
Linear approximations
L'Hospital's rule
Anti-derivatives (basic, substitution, by parts)
Improper integrals

Unless stated otherwise, you must be able to solve these
without your calculator

[1] Find $81^{-\frac{3}{4}}$.

[2] Simplify $\frac{x^{-\frac{2}{3}}x^{\frac{3}{4}}}{x^{-\frac{1}{2}}}$.

[3] Add and simplify $\frac{x-7}{x^2-4x+3} + \frac{x+7}{x^2-x-6}$.

[4] Perform the long division $\frac{x^4 - x^3 - x^2}{x^2 + 2x + 5}$.

[5] Determine algebraically if $f(x) = x\sqrt{1+x^2}$ is symmetric about the y -axis, about the origin or neither.

[6] Determine algebraically if $f(x) = \sin x - \cos x$ is even, odd or neither.

[7] Fill in the following table with all entries (in radians) that have exact values. Also, identify the entries which do not exist.

$x =$	$-\frac{\sqrt{3}}{2}$	$-\frac{\sqrt{3}}{3}$	$-\frac{\sqrt{2}}{2}$	$-\sqrt{3}$	$-\frac{1}{2}$	-1	0	1	$\frac{1}{2}$	$\sqrt{3}$	$\frac{\sqrt{2}}{2}$	$\frac{\sqrt{3}}{3}$	$\frac{\sqrt{3}}{2}$
$\tan^{-1} x =$													
$\cos^{-1} x =$													
$\sin^{-1} x =$													

[8] Let $\theta = \frac{\pi}{6}$.

[a] Find an angle with positive measure that is co-terminal with θ .

[b] Find an angle with negative measure that is co-terminal with θ .

[c] Find 3 angles between 0 and 2π that have θ as their reference angle, not including θ itself.

[9] State the following trigonometric identities.

[a] the 3 Pythagorean identities that involve the 6 trigonometric functions

[b] the co-function identities for each of the 6 trigonometric functions

[c] the double angle identities for $\cos 2x$ (3 versions) and $\sin 2x$

[10] Simplify $\sin(x - \pi)$.

[11] Simplify $\cos(2\pi - x)$.

[12] Find all solutions of $1 + 2\cos x = 0$, where $0 \leq x \leq 2\pi$.

[13] Find all solutions of $\sin 2x = -\frac{\sqrt{3}}{2}$.

[14] Sketch the general shape and position of the following graphs. Do not worry about specific x - and y - coordinates.

$$\begin{array}{lll}
 y = x^5 & y = x^{-4} & y = x^{\frac{1}{3}} \\
 y = e^x & y = 0.5^x & \\
 y = \ln x & y = \log_{0.4} x & \\
 y = \sin x & y = \cos x & y = \tan x \\
 4x^2 + 4y^2 = 36 & 4x^2 + 9y^2 = 36 & 4y^2 - x^2 = 36 \qquad 4y^2 - x = 36
 \end{array}$$

[15] Write the series $\frac{3}{2^2 \cdot 4^0} - \frac{4}{3^2 \cdot 4^1} + \frac{5}{4^2 \cdot 4^2} - \frac{6}{5^2 \cdot 4^3} + \frac{7}{6^2 \cdot 4^4} - \frac{8}{7^2 \cdot 4^5}$ in sigma notation with a lower limit of summation of 1.

[16] Simplify $\frac{(2n-1)!}{(2n+1)!}$.

[17] Sketch the curve defined by the parametric equations $\begin{array}{l} x = 2t - t^2 \\ y = t^2 + 2 \end{array}$ for $-1 \leq t \leq 2$ by plotting points.

[18] Find $\frac{d^3}{dx^3} \arcsin x$.

[19] Find $\frac{d^3}{dx^3} \cot^2 x$.

[20] If $f'(x) = (1-x)(2+x)^3(3-x)^2$, determine the intervals over which f is decreasing.

[21] Determine if $\int_0^{\infty} te^{-2t} dt$ converges or diverges. If it converges, find its value.

[22] Determine if $\int_2^{\infty} \frac{1}{x \ln x} dx$ converges or diverges. If it converges, find its value.

[23] Rewrite the expression $\frac{12(2^{3x-5})}{3^{2x-1}}$ in the form $a \cdot b^x$, where a and b are simplified constants, and the exponent of b is only the variable x .

From your calculus textbook:

Section 2.2 29-37
 Section 2.5 25-32
 Section 2.6 15-24, 28-37
 Section 3.Review 1-50 excluding implicit and hyperbolic
 Section 3.10 1-6
 Section 4.4 5-45
 Section 4.9 1-20
 Section 7.8 5, 9, 13, 19, 49, 51
 Section 7.Review 1, 3, 4, 9, 41, 43, 71