

**Math 42 Midterm 1 Review Answers**

[0]

$\theta =$	$\sin \theta =$	$\cos \theta =$	$\tan \theta =$	$\csc \theta =$	$\sec \theta =$	$\cot \theta =$
0	0	1	0	UNDEFINED	1	UNDEFINED
$\frac{\pi}{6}$	$\frac{1}{2}$	$\frac{\sqrt{3}}{2}$	$\frac{\sqrt{3}}{3}$	2	$\frac{2\sqrt{3}}{3}$	$\sqrt{3}$
$\frac{\pi}{4}$	$\frac{\sqrt{2}}{2}$	$\frac{\sqrt{2}}{2}$	1	$\sqrt{2}$	$\sqrt{2}$	1
$\frac{\pi}{3}$	$\frac{\sqrt{3}}{2}$	$\frac{1}{2}$	$\sqrt{3}$	$\frac{2\sqrt{3}}{3}$	2	$\frac{\sqrt{3}}{3}$
$\frac{\pi}{2}$	1	0	UNDEFINED	1	UNDEFINED	0
$\frac{2\pi}{3}$	$\frac{\sqrt{3}}{2}$	$-\frac{1}{2}$	$-\sqrt{3}$	$\frac{2\sqrt{3}}{3}$	-2	$-\frac{\sqrt{3}}{3}$
$\frac{3\pi}{4}$	$\frac{\sqrt{2}}{2}$	$-\frac{\sqrt{2}}{2}$	-1	$\sqrt{2}$	$-\sqrt{2}$	-1
$\frac{5\pi}{6}$	$\frac{1}{2}$	$-\frac{\sqrt{3}}{2}$	$-\frac{\sqrt{3}}{3}$	2	$-\frac{2\sqrt{3}}{3}$	$-\sqrt{3}$
$\pi$	0	-1	0	UNDEFINED	-1	UNDEFINED
$\frac{7\pi}{6}$	$-\frac{1}{2}$	$-\frac{\sqrt{3}}{2}$	$\frac{\sqrt{3}}{3}$	-2	$-\frac{2\sqrt{3}}{3}$	$\sqrt{3}$
$\frac{5\pi}{4}$	$-\frac{\sqrt{2}}{2}$	$-\frac{\sqrt{2}}{2}$	1	$-\sqrt{2}$	$-\sqrt{2}$	1
$\frac{4\pi}{3}$	$-\frac{\sqrt{3}}{2}$	$-\frac{1}{2}$	$\sqrt{3}$	$-\frac{2\sqrt{3}}{3}$	-2	$\frac{\sqrt{3}}{3}$
$\frac{3\pi}{2}$	-1	0	UNDEFINED	-1	UNDEFINED	0
$\frac{5\pi}{3}$	$-\frac{\sqrt{3}}{2}$	$\frac{1}{2}$	$-\sqrt{3}$	$-\frac{2\sqrt{3}}{3}$	2	$-\frac{\sqrt{3}}{3}$
$\frac{7\pi}{4}$	$-\frac{\sqrt{2}}{2}$	$\frac{\sqrt{2}}{2}$	-1	$-\sqrt{2}$	$\sqrt{2}$	-1
$\frac{11\pi}{6}$	$-\frac{1}{2}$	$\frac{\sqrt{3}}{2}$	$-\frac{\sqrt{3}}{3}$	-2	$\frac{2\sqrt{3}}{3}$	$-\sqrt{3}$

[1]

	[a]	[b]	[c]	[d]	[e]	[f]
Complement	N/A	$\frac{2\pi}{7}$	0.11	N/A	N/A	$18^\circ$
Supplement	$76^\circ$	$\frac{11\pi}{14}$	1.68	$\frac{2\pi}{5}$	0.23	$108^\circ$

[2]

	[a]	[b]	[c]	[d]	[e]	[f]
[i]	-1.5	$-325^\circ$	$-\frac{4\pi}{7}$	-3.49	$-93^\circ$	$-\frac{13\pi}{9}$
	11.06	$395^\circ$	$\frac{24\pi}{7}$	9.07	$627^\circ$	$\frac{23\pi}{9}$
	4.78	$35^\circ$	$\frac{10\pi}{7}$	2.79	$267^\circ$	$\frac{5\pi}{9}$
[ii]	4	1	3	2	3	2

[3]

[a] $84^\circ$	[b] $\frac{6\pi}{5}$	[c] $291.21^\circ$
----------------	----------------------	--------------------

[4]

[a] 3	[b] 3	[c] 12	[d] $\sqrt{6}$	[e] 36	[f] 3
-------	-------	--------	----------------	--------	-------

- [5] [a] angular speed =  $24\pi$  radians/minute, radius = 7.96 feet  
 [b] angular speed =  $2\pi$  radians/year (or 0.0007164 radians/hour), linear speed = 66626 miles/hour  
 [c] angular speed = 2.64 radians/minute, 2.38 minutes to complete one cycle  
 [d] angular speed =  $\frac{3\pi}{2}$  radians/second, linear speed =  $\frac{21\pi}{2}$  inches/second

[6] [a] -0.4577 [b] 0.6561 [c] -0.8391 [d] 1.0946 [e] -0.1906 [f] 1.1887

[7] [a]  $-\frac{7}{25}$  [b]  $\frac{25}{7}$  [c]  $\frac{24}{7}$  [d]  $-\frac{24}{25}$  [e]  $\frac{24}{7}$  [f]  $\frac{7}{25}$   
 [g]  $-\frac{25}{24}$  [h]  $-\frac{7}{24}$

[8] [a]  $\frac{3\sqrt{2}}{4}$  [b]  $2\sqrt{2}$  [c]  $\frac{2\sqrt{2}}{3}$  [d]  $\frac{\sqrt{2}}{4}$  [e]  $\frac{1}{3}$

[9] [a]  $3\sqrt{7}$  [b]  $-5\sqrt{2}$  [c]  $-\sqrt{65}$  [d] 0.6 [e]  $4\sqrt{3}$

[10] [a]  $\frac{5\sqrt{29}}{29}$  [b]  $-\frac{\sqrt{29}}{2}$  [c]  $-\frac{2}{5}$  [d]  $-\frac{2\sqrt{29}}{29}$  [e]  $-\frac{5}{2}$

- [11] [a] you = 139.49 feet above ground, your friend = 9.75 feet from base of elevator  
 [b] funicular's track = 919 meters, top of hill = 553 meters higher than base  
 [c] \$23 on Jan 1, \$29.61 on Mar 1, \$39.39 on Sep 22

[12] [a]  $49^\circ$  [b]  $\frac{2\pi}{9}$  [c]  $74^\circ$  [d]  $\frac{5\pi}{12}$  [e]  $65^\circ$  [f]  $\frac{3\pi}{10}$   
 [g]  $\frac{2\pi}{5}$  [h]  $68^\circ$  [i]  $\frac{2\pi}{7}$  [j]  $34^\circ$  [k]  $\frac{3\pi}{8}$  [l]  $51^\circ$

[13]

	$\theta_{REF} =$	Quadrant	$\sin \theta =$	$\cos \theta =$	$\tan \theta =$	$\csc \theta =$	$\sec \theta =$	$\cot \theta =$
[a]	$\frac{\pi}{4}$	4	$-\frac{\sqrt{2}}{2}$	$\frac{\sqrt{2}}{2}$	-1	$-\sqrt{2}$	$\sqrt{2}$	-1
[b]	$\frac{\pi}{3}$	1	$\frac{\sqrt{3}}{2}$	$\frac{1}{2}$	$\sqrt{3}$	$\frac{2\sqrt{3}}{3}$	2	$\frac{\sqrt{3}}{3}$
[c]	$\frac{\pi}{4}$	2	$\frac{\sqrt{2}}{2}$	$-\frac{\sqrt{2}}{2}$	-1	$\sqrt{2}$	$-\sqrt{2}$	-1
[d]	$\frac{\pi}{3}$	3	$-\frac{\sqrt{3}}{2}$	$-\frac{1}{2}$	$\sqrt{3}$	$-\frac{2\sqrt{3}}{3}$	-2	$\frac{\sqrt{3}}{3}$
[e]	$\frac{\pi}{6}$	3	$-\frac{1}{2}$	$-\frac{\sqrt{3}}{2}$	$\frac{\sqrt{3}}{3}$	-2	$-\frac{2\sqrt{3}}{3}$	$\sqrt{3}$
[f]	$\frac{\pi}{6}$	2	$\frac{1}{2}$	$-\frac{\sqrt{3}}{2}$	$-\frac{\sqrt{3}}{3}$	2	$-\frac{2\sqrt{3}}{3}$	$-\sqrt{3}$

$$[14] \quad [a] \quad (\cos t - \sin t)(\cos t + \sin t)$$

$$= \cos^2 t - \sin^2 t$$

$$= (1 - \sin^2 t) - \sin^2 t$$

$$= 1 - 2\sin^2 t$$

$$[b] \quad \frac{\csc \theta}{\cos \theta \tan \theta} - \frac{\cos \theta}{\sin \theta \tan \theta}$$

$$= \frac{\frac{1}{\sin \theta}}{\cos \theta \frac{\sin \theta}{\cos \theta}} - \frac{\cos \theta}{\sin \theta \frac{\sin \theta}{\cos \theta}}$$

$$= \frac{\frac{1}{\sin \theta}}{\sin \theta} - \frac{\cos \theta}{\frac{\sin^2 \theta}{\cos \theta}}$$

$$= \frac{1}{\sin \theta} \frac{1}{\sin \theta} - \cos \theta \frac{\cos \theta}{\sin^2 \theta}$$

$$= \frac{1}{\sin^2 \theta} - \frac{\cos^2 \theta}{\sin^2 \theta}$$

$$= \frac{1 - \cos^2 \theta}{\sin^2 \theta}$$

$$= \frac{\sin^2 \theta}{\sin^2 \theta}$$

$$= 1$$

$$[15] \quad [a] \quad \frac{5\pi}{6}, \frac{7\pi}{6} \quad [b] \quad \frac{\pi}{3}, \frac{4\pi}{3} \quad [c] \quad \frac{\pi}{4}, \frac{7\pi}{4} \quad [d] \quad \frac{5\pi}{6}, \frac{11\pi}{6} \quad [e] \quad \frac{\pi}{6}, \frac{5\pi}{6} \quad [f] \quad \frac{4\pi}{3}, \frac{5\pi}{3}$$