## Math 1B

## **Midterm 2 Non-Volume Review**

- [1] Find the area of the region between  $y = 4 x^2$  and  $y = x^2 2x$  on [0, 4].
- [2] Find the area under the curve  $y = \cos^{-1} x$ .
- [3] A solid of revolution has volume  $\int_{0}^{\pi} 2\pi (y+1)(1-\cos y) \, dy$ . Sketch the region and the axis of revolution.

## Do not use the x- nor y-axes as boundaries nor the axis of revolution.

[4] A solid of revolution has volume  $\int_{1}^{4} \pi ((3+x)^2 - (3-\sqrt{x})^2) dx$ . Sketch the region and the axis of revolution.

## Do not use the x- nor y-axes as boundaries nor the axis of revolution.

- [5] Find the average value of  $f(x) = \frac{\sin x}{1 + 4\cos^2 x}$  on  $\left[\frac{\pi}{6}, \frac{\pi}{3}\right]$ .
- [6] If the average value of f on [-5, 6] is 7 and the average value of f on [2, 6] is -1, find  $\int_{-5}^{2} f(x) dx$ .
- [7] Find the value of c guaranteed by the Mean Value Theorem for Integrals for  $f(x) = \sqrt{64 (x 2)^2}$  on [-6, 2].
- [8] Find the length of the curve  $y = \frac{1}{8}x^4 + \frac{1}{4x^2}$  on [1, 2].
- [9] Find the length of the curve  $y = \int_{2}^{x} \sqrt{t^2 2t} dt$  on [2, 5].
- [10] Find the area of the surface created by revolving the arc of  $f(x) = \sqrt[3]{x}$  on [0, 8] about the y axis.
- [11] Find the area of the surface created by revolving the arc of  $f(x) = \frac{x^4 + 3}{6x}$  on [1, 2] about the x axis.
- [12] A continuous random variable X with mean value 5.4 has probability density function  $f(x) = \begin{cases} kx^n, & 0 \le x \le 9 \\ 0, & x < 0 \text{ or } x > 9 \end{cases}$  for some constants k and n.
  - [a] Find k and n.
  - [b] Find c such that the probability that X is less than c or greater than c are the same. (This is called the median value of X.)